

The Molecular Pathways of Lung Damage by E-Cigarettes in Male Wistar Rats

*Rivan V. Suryadinata¹ and Bambang Wirjatmadi²

ABSTRACT: Objectives: This study aimed to analyse the stages of lung tissue damage caused by exposure to electronic cigarette (e-cigarette) smoke. The negative health effects of e-cigarettes remain debatable. Several studies have shown the adverse effects, but others opine that e-cigarettes are safer to use than their tobacco counterparts. There is, however, a possibility that the long-term health effects, such as respiratory and even kidney function impairment, are presently not obvious. The amounts of increased free radicals and pro-inflammatory cytokines from e-cigarettes result in various physiological disorders, which trigger cell damage and even cell death in the body. **Methods:** An experimental study was conducted between March and September 2019 in Airlangga University using a control and an experimental group of male Wistar rats to assess the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen. The results were obtained using immunohistochemical staining methods on alveolar macrophages through Hematoxylin-Eosin staining. **Results:** The results showed that exposure to e-cigarette smoke caused an increase in free radicals, triggered an inflammatory process and degraded the type-2 collagen present in the lung tissue. **Conclusion:** Exposure to e-cigarette smoke can cause cell damage in lung tissues.

Keywords: E-Cigarettes; Lungs; Immunohistochemistry; Hematoxylin; Eosin.

ADVANCES IN KNOWLEDGE

- This study explains the mechanism of lung tissue damage due to exposure to electronic cigarette (e-cigarette) smoke from the airway to the cells of lung tissues.
- The damage caused by e-cigarettes reaches the type-2 collagen, which indirectly affects the cartilages of the respiratory tract.

APPLICATION TO PATIENT CARE

- This research aims to analyse the impact of the damage caused by e-cigarettes to enable its use as a reference in educating the public to avoid or reduce using them.

THE USE OF ELECTRONIC CIGARETTES (e-cigarettes) increases every year. They are usually advertised as products that have low nicotine levels and are often seen as a viable alternative to smoking cessation. Consequently, most people believe e-cigarettes are safer than their tobacco counterparts.¹ In addition, aggressive marketing from e-cigarette producers accelerates and increases its use among users.² While various studies have shown the short-term adverse effects, such as an increase in free radicals and/or respiratory/airway inflammation, the long-term risks of exposure and use remain unknown because it is still a recent innovation.^{3,4} However, various physiological disorders arising from cell damage caused by e-cigarette smoke pose a safety concern.⁵

The e-cigarette is an electronic device that utilises battery power.⁶ Its use is different from tobacco cigarettes, which require the burning of natural tobacco leaves. It involves a heating process conducted on metals containing a liquid, either nicotine, propylene glycol or vegetable glycerol, which is used as a solvent or flavour.⁶ The metal and the liquid are heated to give off steam that is inhaled by the

user. The various types of metals and materials used in the manufacturing process of these e-cigarettes increasingly raise concerns regarding its level of safety for users.⁷ The resulting steam produced also causes inflammation in the airways, reduces immunological defence and triggers lung tissue damage.⁸

E-Cigarettes contain high concentrations of free radicals that are approximately 1016 molecules/puff. These free radicals, in turn, consist of reactive oxygen species (ROS) and reactive nitrogen species (RNS). Upon inhalation, free radicals are neutralised by enzymatic antioxidants such as superoxide dismutase, glutathione peroxidase and catalase. However, when these free radicals are inhaled or taken in excess, complete neutralisation will be impossible. This would consequently trigger cellular damage and inflammatory response through the release of pro-inflammatory cytokines by macrophage cells.⁹ One of these cytokines is interleukin-8, which plays a role in cellular rupture and damage. Other cytokines include the neutrophil chemotactic factor, which releases neutrophils into lung tissue. Increased interleukin (IL)-8 secretion will stimulate the release of a metalloprotein-8 matrix into the lung tissues.¹⁰

¹Department of Public Health, Universitas Surabaya, Surabaya, Indonesia; ²Department of Public Health, Universitas Airlangga, Surabaya, Indonesia

*Corresponding Author's e-mail: rivan.virlando.suryadinata@gmail.com

Metalloprotein matrix is an endopeptidase synthesised by neutrophils and expressed in various inflammatory cells when these neutrophils are activated by different inflammatory mediators of cell damage.¹¹ Therefore, metalloprotein matrix is not expressed in healthy cells or tissues, so it is often a parameter for the diagnosis of tissue damage.¹² Excessive metalloprotein-8 matrix will affect the collagen structure and function in respiratory cartilages by increasing the degradation of type-2 collagen.¹³ Such damage occurring in the lung tissue for an extended amount of time would increase the risk of pulmonary fibrosis. This would render the tissue damage irreversible and result in various diseases, including pulmonary hypertension, cardiovascular problems and lung cancer.¹⁴

This study aims to determine the stages of lung tissue damage through increased free radicals and inflammatory responses; these indirectly result in increased numbers of alveolar macrophages that cause damage to lung tissues. This research was done by comparing a group of experimental animals (male Wistar rats) that were exposed to e-cigarette smoke to a control group.

Methods

In this study conducted between March and September 2019 in Airlangga University, male Wistar rats were used because there was't menstrual cycle in the subjects, which signifies no changes in hormone levels. During care and maintenance of experimental

animals, the 3R principle of replacement, refinement and reduction was applied. The animals were kept in accordance with standard natural conditions of two cycles (12 hours of light and 12 hours of dark) and provided with healthy food and water.

E-cigarettes were used in this study, each containing 6 mg of nicotine. The liquid was heated using a coil made of nickel. The experimental method involved streaming smoke into a smoking chamber sized 70 × 50 × 30 cm. The rats were included in the chamber only when an appropriate smoke exposure had been given in accordance with the experimental duration. Malondialdehyde, IL-8, IL-10, metalloprotein-8 matrix and type-2 collagen require an immunohistochemistry (IHC) staining method for assessment. IHC assesses the expression of each sample quantitatively. The values are the average numbers of positive cells observed for each preparation. The data for each sample is the average value of the immunoreactive score observed in 10 different fields of view (LP) using a magnification of 400× on a light microscope.

The histological examination started with the removal of pulmonary organs of the rats to make preparations for the Hematoxylin-Eosin staining method. The assessment involves calculating the mean number of alveolar macrophages in 10 visual fields per preparation. Observations were carried out under objective magnifications of 40× using an immersion microscope.




Figure 1: The methodology flowchart of an experimental study conducted on male Wistar rats assessing the levels of malondialdehyde (MDA), interleukin (IL)-8, IL-10, matrix metalloprotein-8 (MMP-8) and type-2 collagen following electronic-cigarette smoke exposure.




Figure 2: Immersion microscopic scans at 100x magnification showing a higher number of cells positive for malondialdehyde as seen in (A) the experiment group compared to (B) the control group of male Wistar rats based on positive antigen-antibody reactions expressed through the brownish-black cytoplasm.




Figure 3: The mean value and standard deviation as seen in the experimental group compared to the control group of male Wistar rats in a study assessing the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen following electronic-cigarette smoke exposure.

In this study, the experiment was divided into two groups. The first was the control group, which was given only food without any exposure to e-cigarette smoke. The second group was given food and exposed to e-cigarette smoke for two minutes daily during the 4-week period of the experiment [Figure 1].

The results of this study were obtained via a ratio data focused on the average number of positive cells from malondialdehyde, IL-8, IL-10, matrix metalloprotein (MMP)-8 and type-2 collagen in the lung tissue as well as the mean number of alveolar macrophages in each group. Data analysis was performed via t-test analysis using Statistical Package

for the Social Sciences (SPSS), Version 22.0 (IBM Corp., Armonk, New York, USA). The next stage of the data analysis was performed using the partial least square (PLS) test to observe the effects between the variables.

This study received ethical approval from the Health Research Ethics Committee, Faculty of Public Health, Universitas Airlangga.

Results

The results of this study were obtained by comparing the average number of positive cells in 10 varying LPs between the control and experiment groups for malondialdehyde, IL-8, IL-10, MMP-8 and type-2 collagen. The mean value and standard deviation of each variable in both groups are definite. The t-test revealed a significant difference in the number of positive cells between the control and experiment groups [Figures 2a, 2b and 3].

In the experiment group, the number of positive cells from malondialdehyde (24.30 ± 0.82), IL-8 (15.49 ± 0.56), IL-10 (6.88 ± 0.35) and the MMP-8 matrix (12.01 ± 0.35) were significantly higher than those in the control group from malondialdehyde (6.80 ± 0.28), IL-8 (5.86 ± 0.27), IL-10 (3.91 ± 0.20) and the MMP-8 matrix (7.14 ± 0.23). Additionally, the number of positive cells of type-2 collagen in the control group (14.19 ± 0.47) was significantly higher than those in the experiment group (5.26 ± 0.27) [Figure 3].




Figure 4: Immersion microscopic scans at 100x magnification showing a higher number of alveolar macrophage cells as seen in (A) the experimental group as compared to (B) the control group of male Wistar rats in a study assessing the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen following electronic-cigarette smoke exposure.

Table 1: The results of the correlation-test for each group of male Wistar rats in a study assessing the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen following electronic-cigarette smoke exposure

| Protein | MDA* | IL-8 [†] | IL-10 [‡] | MMP-8 [§] | Collagen type-2 |
|---------------------|--------|-------------------|--------------------|--------------------|-----------------|
| IL-8 [†] | 0.995 | - | - | - | - |
| IL-10 [‡] | 0.980 | 0.983 | - | - | - |
| MMP-8 [§] | 0.989 | 0.991 | 0.977 | - | - |
| Collagen type-2 | -0.993 | -0.992 | -0.977 | -0.991 | - |
| Alveolar macrophage | 0.995 | 0.995 | 0.994 | 0.994 | -0.996 |

*MDA = malondialdehyde; [†]IL-8 = interleukin-8; [‡]IL-10 = interleukin-10; [§]MMP-8 = matrix metalloprotein-8.

The results of this study were obtained by comparing the mean number of alveolar macrophages per preparation in 10 LP between the control and experiment groups [Figures 4a and 4b]. The standard deviation and average value of alveolar macrophages were observed for each group. T-test results exhibited a difference in the number of alveolar macrophages between both groups ($P < 0.001$), where the experiment group (53.26 ± 0.93) had a greater number of positive cells compared to the control group (21.86 ± 1.12) [Figure 3].

The results of the correlation test uncovered a strong association between malondialdehyde, IL-8, IL-10, matrix MMP-8, type-2 collagen and alveolar macrophages present in lung tissue ($r > 0.80$) [Table 1].

Discussion

This research shows an increase in various parameters that can impact health negatively. It has been observed that the content found and inhaled from e-cigarettes will cause lung tissue damage. Free radicals passing through the airways trigger oxidative stress and set off lipid peroxidation, increasing the levels of malondialdehyde, as shown in the immunohistochemical micrographs [Figures 2 and 4]. E-cigarette smoke that enters and passes through the airway will increase the number of free radicals.¹⁵ When these free radicals become excessive or abundant, oxidative stress also increases, which causes further lipid peroxidation and cell damage.¹⁶ The product of a lipid peroxidation reaction is malondialdehyde, which is one of the final metabolic by-products of peroxidase and hence, a commonly used marker of increased free radicals in the body.¹⁷ The increase in malondialdehyde levels in the experiment group in this study was due to free radicals from e-cigarettes entering the respiratory tract.

Cell damage causes cell necrosis, which in turn results in cellular debris, often called damage-associated molecular patterns (DAMPs) in the micro-environment.¹⁸ Debris of cells stimulate the body's immune system by increasing the number of alveolar macrophages in the lung tissues. The first stage of immune defence in the body is carried out by M-1 alveolar macrophages through the process of phagocytosis.¹⁹ The debris of cells that have been phagocytosed by these macrophages will stimulate the secretion of various cytokines that help initiate an inflammatory reaction, one of which is IL-8.²⁰ Whenever these reactions occur excessively, one of the M-2 macrophage cells will play a role in regulating the inflammatory process. Macrophage cells express IL-10, which acts as an anti-inflammatory agent.²¹ The results of this study showed an increase in levels of interleukin-8 and a decrease in levels of interleukin-10 in the treatment group. This change in interleukin levels would cause an excessive inflammatory reaction in the lung tissue.

The increased inflammatory response in lung tissue in the experiment group stimulates alveolar macrophage and the secretion of metalloprotein-8 matrix, which is formed from the degranulation of polymorphonuclear neutrophils (PMNs) during the inflammatory reaction.²² Non-PMN cells that experience these reactions, such as epithelial cells of the human bronchi, also produce a metalloprotein-8 matrix. This demonstrates the influence of the inflammatory process on the increase in metalloprotein-8 matrix in lung tissues.²² An excessive increase stimulates the degradation of type-2 collagen tissue found in the cells. This type of collagen is the main active protein in cartilage tissues. In the airways, it is abundant in the trachea, until it reaches the small bronchial tubes. Increased synthesis and secretion of type-2 collagen causes structural and functional disorders of cartilage. Inflammation due to foreign particles damages the bronchial wall and is one of the risk factors of pulmonary fibrosis.²³ The increase in alveolar macrophage, metalloprotein-8 matrix and type-2 collagen that occurred in the experimental group of the current study can increase the risk of fibrosis in the lung tissue.

The body's ability to regulate inflammation is mainly through the secretion of anti-inflammatory cytokines, namely IL-10. These cytokines are produced by T helper 2 cells, which inhibit the activation of T helper 1 cells that play a role in increasing the number of macrophages in the lung tissue.²⁴ In addition, IL-10 is also needed to inhibit pathogen clearance and improve immunopathological conditions.^{25,26} This was evidenced in the current study by the increase

of various parameters of the inflammatory response in the group exposed to e-cigarette smoke, which was contrasted with the control group results. Each parameter shows a relationship in the inflammatory response process caused by exposure to e-cigarette smoke, which forms a molecular pathway for lung tissue damage.

Conclusion

Exposure to e-cigarette smoke increases free radicals in the airways through increased malondialdehyde. This causes modifications in pro-inflammatory cytokines found in the lung tissue, such as IL-6 and IL-8, resulting in changes in the metalloprotein-8 matrix and commencing type-2 collagen degradation. Hence, this study showed a molecular pathway through its short-term negative impact caused by e-cigarette smoke that modifies the inflammatory process in the lung tissue and triggers the onset of lung tissue damage.

ACKNOWLEDGEMENT

The authors are grateful to all team members who contributed to this research.

CONFLICT OF INTEREST

The authors declare no conflicts of interest.

FUNDING

No funding was received for this study.

AUTHORS' CONTRIBUTION

Both authors contributed equally to data collection, analysis and drafting the manuscript. Both authors reviewed the results and approved the final version of the manuscript.

References

- Kalkhoran S, Glantz SA. E-cigarettes and smoking cessation in real-world and clinical settings: A systematic review and meta-analysis. *Lancet Respir Med* 2016; 4:116–28. [https://doi.org/10.1016/S2213-2600\(15\)00521-4](https://doi.org/10.1016/S2213-2600(15)00521-4).
- Brandon TH, Goniewicz ML, Hanna NH, Hatsukami DK, Herbst RS, Hobin JA, et al. Electronic nicotine delivery systems: a policy statement from the American Association for Cancer Research and the American Society of Clinical Oncology. *J Clin Oncol* 2015; 33:952–63. <https://doi.org/10.1200/JCO.2014.59.4465>.
- Suryadinata RV, Wirjatmadi B, Adriani M, Sumarmi S. The effects of exposure duration to electronic cigarette smoke on differences in superoxide dismutase and malondialdehyde in blood of Wistar rats. *Int J Curr Pharm Res* 2019; 11:13–6. <https://doi.org/10.22159/ijcpr.2019v11i3.34084>.
- Chun LF, Moazed F, Calfee CS, Matthay MA, Gotts JE. Pulmonary toxicity of e-cigarettes. *Am J Physiol Cell Mol Physiol* 2017; 313:L193–206. <https://doi.org/10.1152/ajplung.0071.2017>.
- Reinikovaite V, Rodriguez IE, Karoor V, Rau A, Trinh BB, Deleyannis FW, et al. The effects of electronic cigarette vapour on the lung: Direct comparison to tobacco smoke. *Eur Respir J* 2018; 51:1701661. <https://doi.org/10.118/13993003.01661-2017>.
- Glynos C, Bibli SI, Katsaounou P, Pavlidou A, Magkou C, Karavana V, et al. Comparison of the effects of e-cigarette vapor with cigarette smoke on lung function and inflammation in mice. *Am J Physiol Cell Mol Physiol* 2018; 315:L662–72. <https://doi.org/10.1152/ajplung.00389.2017>.
- Wollscheid KA, Kremzner ME. Electronic cigarettes: safety concerns and regulatory issues. *Am J Heal Pharm* 2009; 66:1740–2. <https://doi.org/10.2146/ajhp090127>.
- Sussan TE, Gajghate S, Thimmulappa RK, Ma J, Kim JH, Sudini K, et al. Exposure to electronic cigarettes impairs pulmonary antibacterial and anti-viral defenses in a mouse model. *PLoS ONE* 2015; 10:e0116861. <https://doi.org/10.1371/journal.pone.0116861>.
- Goel R, Durand E, Trushin N, Prokopczyk B, Foulds J, Elias RJ, et al. Highly reactive free radicals in electronic cigarette aerosols. *Chem Res Toxicol* 2015; 28:1675–7. <https://doi.org/10.1021/acs.chemrestox.5b00220>.
- Thirkettle S, Decock J, Arnold H, Pennington CJ, Jaworski DM, Edwards DR. Matrix metalloproteinase 8 (collagenase 2) induces the expression of interleukins 6 and 8 in breast cancer cells. *J Biol Chem* 2013; 288:16282–94. <https://doi.org/10.1074/jbc.M113.464230>.
- Sirniö P, Tuomisto A, Tervahartiala T, Sorsa T, Klintrup K, Karhu T, et al. High-serum MMP-8 levels are associated with decreased survival and systemic inflammation in colorectal cancer. *Br J Cancer* 2018; 119:213–9. <https://doi.org/10.1038/s41416-018-0136-4>.
- Ostridge K, Williams N, Kim V, Bennett M, Harden S, Welch L, et al. Relationship between pulmonary matrix metalloproteinases and quantitative CT markers of small airways disease and emphysema in COPD. *Thorax* 2016; 71:126–32. <https://doi.org/10.1136/thoraxjnl-2015-207428>.
- Craig VJ, Zhang L, Hagoood JS, Owen CA. Matrix metalloproteinases as therapeutic targets for idiopathic pulmonary fibrosis. *Am J Respir Cell Mol Biol* 2015; 53:585–600. <https://doi.org/10.1165/rcmb.2015-0020TR>.
- Fujimoto H, Kobayashi T, Azuma A. Idiopathic pulmonary fibrosis: Treatment and prognosis. *Clin Med Insights Circ Respir Pulm Med* 2016; 9:179–85. <https://doi.org/10.4137/CCRP.M.S23321>.
- Indraswari PII, Lorensia A, Suryadinata RV. Analysis effect of nutrition intake on lung function of active smoker and non smoker. *J Kesehat Masy* 2018; 14:247–53. <https://doi.org/10.15294/kemas.v14i2.14947>.
- Phaniendra A, Jestadi DB, Periyasamy L. Free radicals: Properties, sources, targets, and their implication in various diseases. *Indian J Clin Biochem* 2015; 30:11–26. <https://doi.org/10.1007/s12291-014-0446-0>.
- Suryadinata RV, Wirjatmadi B. The role of selenium micro-nutrients as antioxidants in exposure to e-cigarette smoke. *Asian J Pharm Clin Res* 2019; 12:265–8. <https://doi.org/10.22159/ajpcr.2019.v12i18.34454>.
- Suryadinata RV, Lorensia A, Sefania K. Effectiveness of Lime Peel Extract (*Citrus aurantifolia* Swingle) against C-Reactive Protein Levels in Alloxan-Induced Wistar Rats. *Glob Med Heal Commun* 2021; 9(1):23–28. <https://doi.org/10.29313/gmhc.v9i1.6227>.

19. Land WG. The role of damage-associated molecular patterns (DAMPs) in human diseases: Part II: DAMPs as diagnostics, prognostics and therapeutics in clinical medicine. *Sultan Qaboos Univ Med J* 2015; 15:e157–70. <http://www.ncbi.nlm.nih.gov/pubmed/26052447>.
20. Ito Y, Correll K, Zemans RL, Leslie CC, Murphy RC, Mason RJ. Influenza induces IL-8 and GM-CSF secretion by human alveolar epithelial cells through HGF/c-Met and TGF- α /EGFR signaling. *Am J Physiol Cell Mol Physiol* 2015; 308:L1178–88. <https://doi.org/10.1152/ajplung.00290.2014>.
21. Han X, Boisvert W. Interleukin-10 protects against atherosclerosis by modulating multiple atherogenic macrophage function. *Thromb Haemost* 2015; 113:505–12. <https://doi.org/10.1160/TH14-06-0509>.
22. Prikk K, Maisi P, Pirilä E, Reintam MA, Salo T, Sorsa T, et al. Airway obstruction correlates with collagenase-2 (MMP-8) expression and activation in bronchial asthma. *Lab Invest* 2002; 82:1535–45. <https://doi.org/10.1097/01.LAB.0000035023.53893.B6>.
23. Wilson MS, Wynn TA. Pulmonary fibrosis: pathogenesis, etiology and regulation. *Mucosal Immunol* 2009; 2(2): 103–121. <https://doi.org/10.1038/mi.2008.85>.
24. Steen EH, Wang X, Balaji S, Butte MJ, Bollyky PL, Keswani SG. The role of the anti-inflammatory cytokine interleukin-10 in tissue fibrosis. *Adv Wound Care (New Rochelle)*. 2020; 9:184–98. <https://doi.org/10.1089/wound.2019.1032>.
25. Kevin N, Daniel G, Eleanor M. IL-10: The master regulator of immunity to infection. *J Immunol* 2008; 180:5771–7. <https://doi.org/10.4049/jimmunol.180.9.5771>.
26. Al-Hariri MT, Eldin TG, Hashim T, Chathoth S, Alswied A. Propolis modulates inflammatory mediators and improves histopathology in male rats with L-arginine-induced acute pancreatitis. *Sultan Qaboos Univ Med J* 2019; 19:103–7. <https://doi.org/10.18295/squmj.2019.19.02.004>.




SQU MJ

OMAN


Sultan Qaboos University Medical Journal

**Indexed in
PubMed & SCOPUS**

August 2021, Volume 21, Issue 3



**Histopathology of Lung Biopsy Showing
Aspergillus and *Mucor* (see p. 496)**



Intraoperative Image Showing Dilated Sigmoid Volvulus (see p. 504)

Highlights

Content: journals.squ.edu.om/index.php/squmj

Submissions: www.edmgr.com/squmj

- Lamk Mohamed Al Lamki MD, FRCPC, FACR, FACNM -
Editor-in-Chief 2006-2020
- Delay in Cancer Diagnosis During the Era of the Coronavirus
Disease 2019 Pandemic - *Learning lessons*
- Use of Simulation in Teaching Nursing Leadership and Manage-
ment Course - *Integrative Review*
- Management of Diabetes Insipidus following Surgery for Pituitary and
Suprasellar Tumours
- Identification of Remarkable Dimensions in Management and
Evaluation of Non-Communicable Disease Programmes -
Systematic review and meta-synthesis
- Safe Return to Exercise after COVID-19 Infection
- Perception of Saudi Undergraduate Students towards Profes-
sionalism in Medicine
- Intellectual Profiles of Children with Autism Spectrum Disorder -
Identification of verbal and nonverbal subscales predicting intelligence quotient-
- Sleep Patterns and Their Association with Blood Pressure and
Heart Rate Variability Parameters in Young Saudi Females
- Causal Relationship of the Transverse Left Ventricular Band and
Bicuspid Aortic Valve
- Internet Addiction and Depression Among Postgraduate
Residents - *A cross-sectional survey*
- Barriers and Perception Towards Spectacle Wear among a
Student Population of University of Buraimi, Oman
- Attitudes of Physicians in Jordan Towards Non-Disclosure of
Health Information
- Virtual Microscopy in Undergraduate Pathology Education - *An early
transformative experience in clinical reasoning*
- The Molecular Pathways of Lung Damage by E-Cigarettes in Male
Wistar Rats
- Knowledge of Antibiotics Use among Lebanese Adults - *A study on the
influence of sociodemographic characteristics*
- Women's Knowledge of Cervical Cancer - *A cross-sectional study in primary
healthcare in Al Buraimi Governorate, Oman*
- Original Studies, Case Series, Case Reports, Interesting Medical
Images, Guidelines for Authors

Sultan Qaboos University Medical Journal

*Indexed in PubMed, SCOPUS and WHO EMR Index Medicus
Listed in Directory of Open Access Journals*

Sultan Qaboos University Medical Journal is a nationally and internationally peer-reviewed multidisciplinary biomedical journal. It publishes original articles online with free public access to full-text articles. Its aims are: 1) to be a leading regional medium of biomedical and allied scientific communication with international recognition and acceptance; 2) to encourage and stimulate medical research and scientific publication within Oman and the Gulf region, while attracting contributions from further afield; and 3) to create awareness of developments in medicine and allied fields among health professionals in and outside Oman. It is a forum for the exchange and dissemination of medical knowledge and research among health professionals within Oman, the Gulf region, the Middle East, North Africa and Asia.

SQUMJ EDITORIAL BOARD

Editor-in-Chief

Prof. Samir Al-Adawi, *Behavioural Medicine*

Associate Editors

Dr. Mohammed Al-Abri, *Clinical Physiology & Sleep Med.*

Prof. Rashid Al-Abri, *Surgery ENT*

Dr. Seif Al-Abri, *Infectious Diseases*

Dr. Aisha Al-Ali, *Dermatology*

Prof. Badreldin Ali, *Pharmacology*

Dr. Abdul Rahman Al-Azri, *Oral Path. & Oral Med.*

Dr. Abdulaziz Bakathir, *Oral & Max. fac. Surgery*

Dr. Ammar Boudaka, *Physiology*

Dr. Mohamed-Rachid Boulassel, *Haema. & Allied Health*

Dr. Ikram Burney, *Oncology*

Dr. Jayakrishnan B., *Respirology*

Dr. Moon-fai Chan, *Family Medicine*

Dr. Amna Al-Futaisi, *Paediatric Neurology*

Dr. V. Gowri, *Obstetrics & Gynaecology*

Prof. Arunodaya Gujjar, *Neurology*

Dr. Sanjay Jaju, *Behavioural Med. & Epidemiology*

Dr. Ammar Al-Kashmiri, *Emergency Medicine*

Dr. Murtadha Al-Khabori, *Haematology*

Dr. Adil Al-Kindi, *Cardiovascular Surgery*

Dr. Mohammed Al-Lamki, *Endocrinology*

Prof. Neela Al-Lamki, *Medical Education*

Dr. Norman Machado, *Surgery*

Dr. Abdulaziz Al-Mahrezi, *Family Medicine*

Dr. Sultan Al-Maskari, *Orthopaedic Surgery*

Dr. Joseph Mathew, *Urology Surgery*

Dr. Abdullah Al-Mujaini, *Ophthalmology*

Dr. Khalid Al-Naamani, *Gastroenterology*

Dr. Sunil Nadar, *Cardiology Medicine*

Dr. Omar Al-Omari, *Nursing*

Dr. Sameer Raniga, *Radiology*

Dr. Dawood Al-Riyami, *Nephrology*

Dr. Marwa Al-Riyami, *Pathology*

Dr. Nihal Al-Riyami, *Obstetrics & Gynaecology*

Dr. Sadhana Roychoudhury, *Anatomy & Embryology*

Dr. Muna Al-Saadoon, *Community Paeds.*

Dr. Elias Said, *Microbiology & Immunology*

Prof. Jumana Saleh, *Biochemistry*

Prof. Yasser Wali, *Child Health*

Dr. Nadia Al-Wardy, *Medical Education*

Dr. Ronald Wesonga, *Statistics*

Editorial Staff

Dr. Mohamed Gomaa, *Managing Editor*

Ms. Sheherajoy Biruar, *Technical Editor*

Mr. Alaister Denoyo, *Assistant Editor*

Ms. Stefanie Dietz, *Assistant Editor*

Ms. Sangeetha Mahadevan, *Assistant Editor*

SQUMJ INTERNATIONAL ADVISORY BOARD

Prof. Lars Andersson, *University of Kuwait, Kuwait*

Prof. Atul K. Bhan, *Harvard Medical School, USA*

Prof. William Brady, *University of Virginia Medical Center, USA*

Dr. Alessandro Cavalcanti, *Paraiba State University, Brazil*

Dr. Sanjib Kumar Ghosh, *All India Institute of Medical Sciences, India*

Prof. Ganesh Gopalakrishnan, *Urology Society India, India*

Prof. Kusum Kapila, *University of Kuwait, Kuwait*

Dr. Hafiz Khan, *University of West London, UK*

Prof. Sir Peter Morris, *University of Nottingham, UK*

Prof. Desiderio Passali, *Università di Siena, Italy*

Prof. Nivritti G. Patil, *University of Hong Kong, China*

Prof. Russel J. Reiter, *University of Texas Health Science Center, USA*

Prof. Ali Taher, *University of Beirut, Lebanon*

Prof. James J. Walker, *University of Leeds, UK*

Prof. Henk Wallenburg, *Erasmus University, Netherlands*

SQU ACADEMIC PUBLICATIONS BOARD

Dr. Amer Al-Hinai, *Chair, Academic Publications Board*

Prof. Yahya Al-Wahaibi, *Dean, Research*

Prof. Ibrahim Metwally, *Editor-in-Chief, Journal of Engineering Research*

Dr. Mohammed Al-Suqri, *Editor-in-Chief, Journal for Arts & Social Sciences*

Prof. Abdulla Ambusaidi, *Editor-in-Chief, Journal of Educational & Psychological Studies*

Prof. Shafiur Rahman, *Editor-in-Chief, Journal of Agricultural & Marine Sciences*

Prof. Mohammad Khan, *Editor-in-Chief, Journal for Science*

Prof. Samir Al-Adawi, *Editor-in-Chief, Medical Journal*

Mr. Jamal Al-Ghailani, *Director, Academic Publication & Outreach Department*

SQUMJ is published quarterly and distributed free of charge to medical colleges and institutions in Oman and Internationally

All SQUMJ articles are freely available for download on the Journal website

Users have the right to read, download, copy, distribute, print, search, or link to the full texts of articles under the following conditions:

Creative Commons Attribution 4.0 International (CC BY 4.0)

SQUMJ does not charge authors for submission or publication

For information on manuscript submission see Guide for Authors

Published by Sultan Qaboos University with the support of the College of Medicine & Health Sciences

PO Box 35, Al-Khod 123, Muscat, Oman

Submissions: www.edmgr.com/squmj **Content:** journal.squ.edu.om/index.php/squmj

E-mail: mjournal@squ.edu.om **Phone:** (+968) 2414 3457 **Fax:** (+968) 2441 3682

Edited, designed and typeset by the Editorial Office, College of Medicine & Health Sciences, Sultan Qaboos University

©2021 Sultan Qaboos University Medical Journal. All rights reserved. This Journal is not responsible for opinions printed in its publications: they represent the views of the individuals to whom they are credited and are not binding upon the Journal.

ISSN (online edition): 2075-0528

MESSAGE FROM THE EDITOR-IN-CHIEF

Lamk Mohamed Al Lamki MD, FRCPC, FACR, FACNM
Editor-in-Chief 2006-2020

339

Samir Al-Adawi

EDITORIAL

Delay in Cancer Diagnosis During the Era of the Coronavirus Disease 2019 Pandemic
Learning lessons

341

Mohammed H. Al-Azri

REVIEWS

Use of Simulation in Teaching Nursing Leadership and Management Course
Integrative Review

344

Leodoro J. Labrague

Management of Diabetes Insipidus following Surgery for Pituitary and Suprasellar Tumours

354

Mussa H. Almkali, Maswood M. Ahmad, Imad Brema, Mohammed Almekhel, Khaled M AlDahmani, Moeber Mahzari, Salem A Beshyah

Identification of Remarkable Dimensions in Management and Evaluation of
Non-Communicable Disease Programmes
Systematic review and meta-synthesis

365

Leila Vali, Fatemeh Ataollahi, Mohammadreza Amiresmaili, Nouzar Nakhaee

SPECIAL CONTRIBUTION

Safe Return to Exercise after COVID-19 Infection

373

Angelo V. Vasiliadis, Vasiliki Boka

CLINICAL AND BASIC RESEARCH

Perception of Saudi Undergraduate Students towards Professionalism in Medicine

378

Suzan A. Alkhater

Intellectual Profiles of Children with Autism Spectrum Disorder

386

Identification of verbal and nonverbal subscales predicting intelligence quotient

Wafaa Al-Mamari, Ahmed B. Idris, Ahlam Gabr, Saquib Jalees, Muna Al-Jabri, Reem Abdurraheem, Abeer Al-Mujaini, M. Mazharul Islam, Mohamed Al-Alawi, Samir Al-Adawi

Sleep Patterns and Their Association with Blood Pressure and Heart Rate Variability
Parameters in Young Saudi Females

394

Farrukh Majeed, Rabia Latif, Aamna Latif, Rehma Bibi

Causal Relationship of the Transverse Left Ventricular Band and Bicuspid Aortic Valve

403

Manoj K. Dubey, Avinash Mani, Vineeta Ojha

Internet Addiction and Depression Among Postgraduate Residents

408

A cross-sectional survey

Ameena M. Al-Mukhaini, Fakhriya Al-Houqani, Rahma Al-Kindi

Barriers and Perception Towards Spectacle Wear among a Student Population of
University of Buraimi, Oman

416

Gopi S. Vankudre and Babu Noushad

Attitudes of Physicians in Jordan Towards Non-Disclosure of Health Information

423

Saif M. Borgan, Justin Z. Amarín, Areej K. Othman, Haya H. Suradi, Yasmeen Z. Qwaider

Virtual Microscopy in Undergraduate Pathology Education

428

An early transformative experience in clinical reasoning

Ritu Lakhtakia

The Molecular Pathways of Lung Damage by E-Cigarettes in Male Wistar Rats

436

Rivan V. Suryadinata and Bambang Wirjatmadi

Knowledge of Antibiotics Use among Lebanese Adults

442

A study on the influence of sociodemographic characteristics

Anna-Maria Henaine, Nathalie Lahoud, Rachel Abdo, Ruba Shdeed, Jihan Safwan, Marwan Akel, Iqbal Fahs, Rony Zeenny, Hala Sacre, Souheil Hallit, Pascale Salameh

CLINICAL AND BASIC RESEARCH

- Women's Knowledge of Cervical Cancer** 450
A cross-sectional study in primary healthcare in Al Buraimi Governorate, Oman
Aisha N. Al-Saadi, Aisha H. Al-Muqbali, Eihab Dawi
- Outcomes of Infants Undergoing Modified Blalock-Taussig Shunt Procedures in Oman** 457
A retrospective study
Samiuddin Shaikh, Khaloud S. Al-Mukhaini, Abdul Hakeem Al-Rawahi, Omer Al-Dafie
- Parental Age and the Risk of Autism Spectrum Disorder in Oman** 465
A case-control study
Wafaa Al-Mamari, Ahmed B. Idris, Aala' A. Al-Zadjali, Saquib Jalees, Sathiya Murthi, Muna Al-Jabri, Ahlam Gabr, Eric Fombonne

CASE SERIES

- Magnetic Resonance Imagery Findings in Androgen Insensitivity** 472
A case report
Indrani Mukhopadhyay, Rohit Aggarwal, Deepti Mutreja, Sujit Maheswari

CASE REPORTS

- Serendipitous Discovery of a Benign Obturator Nerve Schwannoma** 477
Case report with a brief clinical review
Suhani Sumalatha, Nikhila Appala, Ashwija Shetty, Deepak Nayak, Sushma Prabhat, Nandini P. Bhat
- Bilateral Chylothorax Following Total Thyroidectomy with Neck Dissection for Papillary Thyroid Cancer** 481
Case report
Musallam Kashoob, Saleh Bawain, Yahya Al Badaai
- Huge Hydatid Cyst of the Right Ventricular Outflow Tract** 485
Behnam Shakerian, Mohammad H. Mandegar
- Ixekizumab for Patients with Plaque Psoriasis Affected by Multiple Sclerosis** 488
Case report
Enrique Herrera-Acosta, Gustavo G. G. Martina, Jorge A. Suárez-Pérez, Eliseo A. Martínez-García, Enrique Herrera-Ceballos
- Carbamazepine-Induced Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis Overlap Treated Successfully with Oral Cyclosporin** 491
Case report and literature review
Raqiya Al Rajaibi, Thuraiya Al Rumhi, Al Mur Al Abri
- Pulmonary *Aspergillus* and *Mucor* Co-Infection** 495
A report of two cases
.Ravindra Chari M., Manju Rajaram, Madhusmita M., Pampa ChToi, Sneha L

INTERESTING MEDICAL IMAGES

- A Rare Case of *Apophysomyces Variabilis* Skin and Soft Tissue Infection** 499
Archana Bora, Laxmi Rathore, Prabhat K. Khatri, Vinod K. Maurya, Ganpat S. Choudhary
- Transmesenteric Internal Abdominal Hernia** 502
Multi-detector row computed tomography findings
Sudipta Mohakud, Suprava Naik, Nerbadyswari Deep, Arshdeep Singh, Tushar S. Mishra, Mithilesh Sinha
- Acute Gastric Dilatation Leading to Ischemic Necrosis** 504
A rare complication following sigmoid volvulus
Balakrishnan Gurushankari, Sathasivam Sureshkumar, Amaranathan Anandhi, B. S. Rajesh, Debasis Naik, Kumar Saurabh, Vikram Kate

GUIDELINES

- Guide for Authors** 507

SQUMJ

by Rivan Virlando Suryadinata

Submission date: 29-Aug-2021 08:27PM (UTC+0700)

Submission ID: 1399173155

File name: 4177-Article_Text-8825-2-10-20210829.pdf (854.5K)

Word count: 3722

Character count: 20592

The Molecular Pathways of Lung Damage by E-Cigarettes in Male Wistar Rats

*Rivan V. Suryadinata¹ and Bambang Wirjatmadi²

ABSTRACT: **Objectives:** This study aimed to analyse the effects of lung tissue damage caused by exposure to electronic cigarette (e-cigarette) smoke. The negative health effects of e-cigarettes remain debatable. Several studies have shown the adverse effects, but others opine that e-cigarettes are safer to use than their tobacco counterparts. There is, however, a possibility that the long-term health effects, such as respiratory and even kidney function impairment, are presently not obvious. The amounts of increased free radicals and pro-inflammatory cytokines from e-cigarettes result in various physiological disorders, which trigger cell damage and even cell death in the body. **Methods:** An experimental study was conducted between March and September 2019 in Airlangga University using a control and an experimental group of male Wistar rats to assess the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen. The results were obtained using immunohistochemical staining methods on alveolar macrophages through Hematoxylin-Eosin staining. **Results:** The results showed that exposure to e-cigarette smoke caused an increase in free radicals, triggered an inflammatory process and degraded the type-2 collagen present in the lung tissue. **Conclusion:** Exposure to e-cigarette smoke can cause cell damage in lung tissues.

Keywords: E-Cigarettes; Lungs; Immunohistochemistry; Hematoxylin; Eosin.

ADVANCES IN KNOWLEDGE

- This study explains the mechanism of lung tissue damage due to exposure to electronic cigarette (e-cigarette) smoke from the airway to the cells of lung tissues.
- The damage caused by e-cigarettes reaches the type-2 collagen, which indirectly affects the cartilages of the respiratory tract.

APPLICATION TO PATIENT CARE

- This research aims to analyse the impact of the damage caused by e-cigarettes to enable its use as a reference in educating the public to avoid or reduce using them.

THE USE OF ELECTRONIC CIGARETTES (e-cigarettes) increases every year. They are usually advertised as products that have low nicotine levels and are often seen as a viable alternative to smoking cessation. Consequently, most people believe e-cigarettes are safer than their tobacco counterparts.¹ In addition, aggressive marketing from e-cigarette producers accelerates and increases its use among users.² While various studies have shown the short-term adverse effects, such as an increase in free radicals and/or respiratory/airway inflammation, the long-term risks of exposure and use remain unknown because it is still a recent innovation.^{3,4} However, various physiological disorders arising from cell damage caused by e-cigarette smoke pose a safety concern.⁵

The e-cigarette is an electronic device that utilises battery power.⁶ Its use is different from tobacco cigarettes, which require the burning of natural tobacco leaves. It involves a heating process conducted on metals containing a liquid, either nicotine, propylene glycol or vegetable glycerol, which is used as a solvent or flavour.⁶ The metal and the liquid are heated to give off steam that is inhaled by the

user. The various types of metals and materials used in the manufacturing process of these e-cigarettes increasingly raise concerns regarding its level of safety for users.⁷ The resulting steam produced also causes inflammation in the airways, reduces immunological defence and triggers lung tissue damage.⁸

E-Cigarettes contain high concentrations of free radicals that are approximately 14,016 molecules/puff. These free radicals, in turn, consist of reactive oxygen species (ROS) and reactive nitrogen species (RNS). Upon inhalation, free radicals are neutralised by enzymatic antioxidants such as superoxide dismutase, glutathione peroxidase and catalase. However, when these free radicals are inhaled or taken in excess, complete neutralisation will be impossible. This would consequently trigger cellular damage and inflammatory response through the release of pro-inflammatory cytokines by macrophage cells.⁹ One of these cytokines is interleukin-8, which plays a role in cellular rupture and damage. Other cytokines include the neutrophil chemotactic factor, which releases neutrophils into lung tissue. Increased interleukin (IL)-8 secretion will stimulate the release of a metalloprotein-8 matrix into the lung tissues.¹⁰

¹Department of Public Health, Universitas Surabaya, Surabaya, Indonesia; ²Department of Public Health, Universitas Airlangga, Surabaya, Indonesia

*Corresponding Author's e-mail: rivan.virlando.suryadinata@gmail.com

Metalloprotein matrix is an endopeptidase synthesised by neutrophils and expressed in various inflammatory cells when these neutrophils are activated by different inflammatory mediators of cell damage.¹¹ Therefore, metalloprotein matrix is not expressed in healthy cells or tissues, so it is often a parameter for the diagnosis of tissue damage.¹² Excessive metalloprotein-8 matrix will affect the collagen structure and function in respiratory cartilages by increasing the degradation of type-2 collagen.¹³ Such damage occurring in the lung tissue for an extended amount of time would increase the risk of pulmonary fibrosis. This would render the tissue damage irreversible and result in various diseases, including pulmonary hypertension, cardiovascular problems and lung cancer.¹⁴

This study aims to determine the stages of lung tissue damage through increased free radicals and inflammatory responses; these indirectly result in increased numbers of alveolar macrophages that cause damage to lung tissues. This research was done by comparing a group of experimental animals (male Wistar rats) that were exposed to e-cigarette smoke to a control group.

Methods

In this study conducted between March and September 2019 in Airlangga University, male Wistar rats were used because there was't menstrual cycle in the subjects, which signifies no changes in hormone levels. During care and maintenance of experimental

animals, the 3R principle of replacement, refinement and reduction was applied. The animals were kept in accordance with standard natural conditions of two cycles (12 hours of light and 12 hours of dark) and provided with healthy food and water.

E-cigarettes were used in this study, each containing 6 mg of nicotine. The liquid was heated using a coil made of nickel. The experimental method involved streaming smoke into a smoking chamber sized 70 × 50 × 30 cm. The rats were included in the chamber only when an appropriate smoke exposure had been given in accordance with the experimental duration. Malondialdehyde, IL-8, IL-10, metalloprotein-8 matrix and type-2 collagen require an immunohistochemistry (IHC) staining method for assessment. IHC assesses the expression of each sample quantitatively. The values are the average numbers of positive cells observed for each preparation. The data for each sample is the average value of the immunoreactive score observed in 10 different fields of view (LP) using a magnification of 400× on a light microscope.

The histological examination started with the removal of pulmonary organs of the rats to make preparations for the Hematoxylin-Eosin staining method. The assessment involves calculating the mean number of alveolar macrophages in 10 visual fields per preparation. Observations were carried out under objective magnifications of 40× using an immersion microscope.




Figure 1: The methodology flowchart of an experimental study conducted on male Wistar rats assessing the levels of malondialdehyde (MDA), interleukin (IL)-8, IL-10, matrix metalloprotein-8 (MMP-8) and type-2 collagen following electronic-cigarette smoke exposure.




Figure 2: Immersion microscopic scans at 100x magnification showing a higher number of cells positive for malondialdehyde as seen in (A) the experiment group compared to (B) the control group of male Wistar rats based on positive antigen-antibody reactions expressed through the brownish-black cytoplasm.




Figure 3: The mean value and standard deviation as seen in the experimental group compared to the control group of male Wistar rats in a study assessing the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen following electronic-cigarette smoke exposure.

In this study, the experiment was divided into two groups. The first was the control group, which was given only food without any exposure to e-cigarette smoke. The second group was given food and exposed to e-cigarette smoke for two minutes daily during the 4-week period of the experiment [Figure 1].

The results of this study were obtained via a ratio data focused on the average number of positive cells from malondialdehyde, IL-8, IL-10, matrix metalloprotein (MMP)-8 and type-2 collagen in the lung tissue as well as the mean number of alveolar macrophages in each group. Data analysis was performed via t-test analysis using Statistical Package

for the Social Sciences (SPSS), Version 22.0 (IBM Corp., Armonk, New York, USA). The next stage of the data analysis was performed using the partial least square (PLS) test to observe the effects between the variables.

This study received ethical approval from the Health Research Ethics Committee, Faculty of Public Health, Universitas Airlangga.

Results

The results of this study were obtained by comparing the average number of positive cells in 10 varying LPs between the control and experiment groups for malondialdehyde, IL-8, IL-10, MMP-8 and type-2 collagen. The mean value and standard deviation of each variable in both groups are definite. The t-test revealed a significant difference in the number of positive cells between the control and experiment groups [Figures 2a, 2b and 3].

In the experiment group, the number of positive cells from malondialdehyde (24.30 ± 0.82), IL-8 (15.49 ± 0.56), IL-10 (18.38 ± 0.35) and the MMP-8 matrix (12.01 ± 0.35) were significantly higher than those in the control group from malondialdehyde (6.80 ± 0.28), IL-8 (5.86 ± 0.27), IL-10 (3.91 ± 0.20) and the MMP-8 matrix (7.14 ± 0.23). Additionally, the number of positive cells of type-2 collagen in the control group (14.19 ± 0.47) was significantly higher than those in the experiment group (5.26 ± 0.27) [Figure 3].




Figure 4: Immersion microscopic scans at 100x magnification showing a higher number of alveolar macrophage cells as seen in (A) the experimental group as compared to (B) the control group of male Wistar rats in a study assessing the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen following electronic-cigarette smoke exposure.

Table 1: The results of the correlation-test for each group of male Wistar rats in a study assessing the levels of malondialdehyde, interleukin (IL)-8, IL-10, matrix metalloprotein-8 and type-2 collagen following electronic-cigarette smoke exposure

| Protein | MDA* | IL-8 [†] | IL-10 [‡] | MMP-8 [§] | Collagen type-2 |
|---------------------|--------|-------------------|--------------------|--------------------|-----------------|
| IL-8 [†] | 0.995 | - | - | - | - |
| IL-10 [‡] | 0.980 | 0.983 | - | - | - |
| MMP-8 [§] | 0.989 | 0.991 | 0.977 | - | - |
| Collagen type-2 | -0.993 | -0.992 | -0.977 | -0.991 | - |
| Alveolar macrophage | 0.995 | 0.995 | 0.994 | 0.994 | -0.996 |

*MDA = malondialdehyde; [†]IL-8 = interleukin-8; [‡]IL-10 = interleukin-10; [§]MMP-8 = matrix metalloprotein-8

The results of this study were obtained by comparing the mean number of alveolar macrophages per preparation in 10 LP between the control and experiment groups [Figures 4a and 4b]. The standard deviation and average value of alveolar macrophages were observed for each group. T-test results exhibited a difference in the number of alveolar macrophages between both groups ($P < 0.001$), where the experiment group (30.326 ± 0.93) had a greater number of positive cells compared to the control group (21.86 ± 1.12) [Figure 3].

The results of the correlation test uncovered a strong association between malondialdehyde, IL-8, IL-10, matrix MMP-8, type-2 collagen and alveolar macrophages present in lung tissue ($r > 0.80$) [Table 1].

Discussion

This research shows an increase in various parameters that can impact health negatively. It has been observed that the content found and inhaled from e-cigarettes will cause lung tissue damage. Free radicals passing through the airways trigger oxidative stress and set off lipid peroxidation, increasing the levels of malondialdehyde, as shown in the immunohistochemical micrographs [Figures 2 and 4]. E-cigarette smoke that enters and passes through the airway will increase the number of free radicals.¹⁵ When these free radicals become excessive or abundant, oxidative stress also increases, which causes further lipid peroxidation and cell damage.¹⁶ The product of a lipid peroxidation reaction is malondialdehyde, which is one of the final metabolic by-products of peroxidase and hence, a commonly used marker of increased free radicals in the body.¹⁷ The increase in malondialdehyde levels in the experiment group in this study was due to free radicals from e-cigarettes entering the respiratory tract.

Cell damage causes cell necrosis, which in turn results in cellular debris, often called damage-associated molecular patterns (DAMPs) in the micro-environment.¹⁸ Debris of cells stimulate the body's immune system by increasing the number of alveolar macrophages in the lung tissues. The first stage of immune defence in the body is carried out by M-1 alveolar macrophages through the process of phagocytosis.¹⁹ The debris of cells that have been phagocytosed by these macrophages will stimulate the secretion of various cytokines that help initiate an inflammatory reaction, one of which is IL-8.²⁰ Whenever these reactions occur excessively, one of the M-2 macrophage cells will play a role in regulating the inflammatory process. Macrophage cells express IL-10, which acts as an anti-inflammatory agent.²¹ The results of this study showed an increase in levels of interleukin-8 and a decrease in levels of interleukin-10 in the treatment group. This change in interleukin levels would cause an excessive inflammatory reaction in the lung tissue.

The increased inflammatory response in lung tissue in the experiment group stimulates alveolar macrophage and the secretion of metalloprotein-8 matrix, which is formed from the degranulation of polymorphonuclear neutrophils (PMNs) during the inflammatory reaction.²² Non-PMN cells that experience these reactions, such as epithelial cells of the human bronchi, also produce a metalloprotein-8 matrix. This demonstrates the influence of the inflammatory process on the increase in metalloprotein-8 matrix in lung tissues.²² An excessive increase stimulates the degradation of type-2 collagen tissue found in the cells. This type of collagen is the main active protein in cartilage tissues. In the airways, it is abundant in the trachea, until it reaches the small bronchial tubes. Increased synthesis and secretion of type-2 collagen causes structural and functional disorders of cartilage. Inflammation due to foreign particles damages the bronchial wall and is one of the risk factors of pulmonary fibrosis.²³ The increase in alveolar macrophage, metalloprotein-8 matrix and type-2 collagen that occurred in the experimental group of the current study can increase the risk of fibrosis in the lung tissue.

The body's ability to regulate inflammation is mainly through the secretion of anti-inflammatory cytokines, namely IL-10. These cytokines are produced by T helper 2 cells which inhibit the activation of T helper 1 cells that play a role in increasing the number of macrophages in the lung tissue.²⁴ In addition, IL-10 is also needed to inhibit pathogen clearance and improve immunopathological conditions.^{25,26} This was evidenced in the current study by the increase

of various parameters of the inflammatory response in the group exposed to e-cigarette smoke, which was contrasted with the control group results. Each parameter shows a relationship in the inflammatory response process caused by exposure to e-cigarette smoke, which forms a molecular pathway for lung tissue damage.

Conclusion

Exposure to e-cigarette smoke increases free radicals in the airways through increased malondialdehyde. This causes modifications in pro-inflammatory cytokines found in the lung tissue, such as IL-6 and IL-8, resulting in changes in the metalloprotein-8 matrix and commencing type-2 collagen degradation. Hence, this study showed a molecular pathway through its short-term negative impact caused by e-cigarette smoke that modifies the inflammatory process in the lung tissue and triggers the onset of lung tissue damage.

ACKNOWLEDGEMENT

The authors are grateful to all team members who contributed to this research.

CONFLICT OF INTEREST

The authors declare no conflicts of interest.

FUNDING

No funding was received for this study.

AUTHORS' CONTRIBUTION

Both authors contributed equally to data collection, analysis and drafting the manuscript. Both authors reviewed the results and approved the final version of the manuscript.

References

- Kalkhoran S, Glantz SA. E-cigarettes and smoking cessation in real-world and clinical settings: A systematic review and meta-analysis. *Lancet Respir Med* 2016; 4:116–28. [https://doi.org/10.1016/S2213-2600\(15\)00521-4](https://doi.org/10.1016/S2213-2600(15)00521-4).
- Brandon TH, Goniewicz ML, Hanna NH, Hatsukami DK, Herbst RS, Hobin JA, et al. Electronic nicotine delivery systems: a policy statement from the American Association for Cancer Research and the American Society of Clinical Oncology. *J Clin Oncol* 2015; 33:952–63. <https://doi.org/10.1200/JCO.2014.59.4465>.
- Suryadinata RV, Wirjatmadi B, Adriani M, Sumarmi S. The effects of exposure duration to electronic cigarette smoke on differences in superoxide dismutase and malondialdehyde in blood of Wistar rats. *Int J Curr Pharm Res* 2019; 11:13–6. <https://doi.org/10.22159/ijcpr.2019v11i3.34084>.
- Chun LF, Moazed F, Calfee CS, Matthay MA, Gotts JE. Pulmonary toxicity of e-cigarettes. *Am J Physiol Cell Mol Physiol* 2017; 313:L193–206. <https://doi.org/10.1152/ajplung.0071.2017>.
- Reinikovaite V, Rodriguez IE, Karoor V, Rau A, Trinh BB, Deleyannis FW, et al. The effects of electronic cigarette vapour on the lung: Direct comparison to tobacco smoke. *Eur Respir J* 2018; 51:1701661. <https://doi.org/10.1181/13993003.01661-2017>.
- Glynos C, Bibli SI, Katsaounou P, Pavlidou A, Magkou C, Karavana V, et al. Comparison of the effects of e-cigarette vapor with cigarette smoke on lung function and inflammation in mice. *Am J Physiol Cell Mol Physiol* 2018; 315:L662–72. <https://doi.org/10.1152/ajplung.00389.2017>.
- Wollscheid KA, Kremzner ME. Electronic cigarettes: safety concerns and regulatory issues. *Am J Heal Pharm* 2009; 66:1740–2. <https://doi.org/10.2146/ajhp090127>.
- Sussan TE, Gajghate S, Thimmulappa RK, Ma J, Kim JH, Sudini K, et al. Exposure to electronic cigarettes impairs pulmonary anti-bacterial and anti-viral defenses in a mouse model. *PLoS ONE* 2015; 10:e0116861. <https://doi.org/10.1371/journal.pone.0116861>.
- Goel R, Durand E, Trushin N, Prokopczyk B, Foulds J, Elias RJ, et al. Highly reactive free radicals in electronic cigarette aerosols. *Chem Res Toxicol* 2015; 28:1675–7. <https://doi.org/10.1021/acs.chemrestox.5b00220>.
- Thirkettle S, Decock J, Arnold H, Pennington CJ, Jaworski DM, Edwards DR. Matrix metalloproteinase 8 (collagenase 2) induces the expression of interleukins 6 and 8 in breast cancer cells. *J Biol Chem* 2013; 288:16282–94. <https://doi.org/10.1074/jbc.M113.464230>.
- Sirniö P, Tuomisto A, Tervahartiala T, Sorsa T, Klintrup K, Karhu T, et al. High-serum MMP-8 levels are associated with decreased survival and systemic inflammation in colorectal cancer. *Br J Cancer* 2018; 119:213–9. <https://doi.org/10.1038/s41416-018-0136-4>.
- Ostridge K, Williams N, Kim V, Bennett M, Harden S, Welch L, et al. Relationship between pulmonary matrix metalloproteinases and quantitative CT markers of small airways disease and emphysema in COPD. *Thorax* 2016; 71:126–32. <https://doi.org/10.1136/thoraxjnl-2015-207428>.
- Craig VJ, Zhang L, Hagood JS, Owen CA. Matrix metalloproteinases as therapeutic targets for idiopathic pulmonary fibrosis. *Am J Respir Cell Mol Biol* 2015; 53:585–600. <https://doi.org/10.1165/rcmb.2015-0020TR>.
- Fujimoto H, Kobayashi T, Azuma A. Idiopathic pulmonary fibrosis: Treatment and prognosis. *Clin Med Insights Circ Respir Pulm Med* 2016; 9:179–85. <https://doi.org/10.4137/CCRPM.S23321>.
- Indraswari PII, Lorensia A, Suryadinata RV. Analysis effect of nutrition intake on lung function of active smoker and non smoker. *J Kesehat Masy* 2018; 14:247–53. <https://doi.org/10.15294/kemas.v14i2.14947>.
- Phaniendra A, Jestadi DB, Periyasamy L. Free radicals: Properties, sources, targets, and their implication in various diseases. *Indian J Clin Biochem* 2015; 30:11–26. <https://doi.org/10.1007/s12291-014-0446-0>.
- Suryadinata RV, Wirjatmadi B. The role of selenium micro-nutrients as antioxidants in exposure to e-cigarette smoke. *Asian J Pharm Clin Res* 2019; 12:265–8. <https://doi.org/10.22159/ajpcr.2019.v12i18.34454>.
- Suryadinata RV, Lorensia A, Sefania K. Effectiveness of Lime Peel Extract (*Citrus aurantifolia* Swingle) against C-Reactive Protein Levels in Alloxan-Induced Wistar Rats. *Glob Med Heal Commun* 2021; 9(1):23–28. <https://doi.org/10.29313/gmh.c.v9i1.6227>.

19. Land WG. The role of damage-associated molecular patterns (DAMPs) in human diseases: Part II: DAMPs as diagnostics, prognostics and therapeutics in clinical medicine. *Sultan Qaboos Univ Med J* 2015; 15:e157–70. <http://www.ncbi.nlm.nih.gov/pubmed/26052447>.
20. Ito Y, Correll K, Zemans RL, Leslie CC, Murphy RC, Mason RJ. Influenza induces IL-8 and GM-CSF secretion by human alveolar epithelial cells through HGF/c-Met and TGF- α /EGFR signaling. *Am J Physiol Cell Mol Physiol* 2015; 308:L1178–88. <https://doi.org/10.1152/ajplung.00290.2014>.
21. Han X, Boisvert W. Interleukin-10 protects against atherosclerosis by modulating multiple atherogenic macrophage function. *Thromb Haemost* 2015; 113:505–12. <https://doi.org/10.1160/TH14-06-0509>.
22. Prikk K, Maisi P, Pirilä E, Reintam MA, Salo T, Sorsa T, et al. Airway obstruction correlates with collagenase-2 (MMP-8) expression and activation in bronchial asthma. *Lab Invest* 2002; 82:1535–45. <https://doi.org/10.1097/01.LAB.0000035023.53893.B6>.
23. Wilson MS, Wynn TA. Pulmonary fibrosis: pathogenesis, etiology and regulation. *Mucosal Immunol* 2009; 2(2): 103–121. <https://doi.org/10.1038/mi.2008.85>.
24. Steen EH, Wang X, Balaji S, Butte MJ, Bolyky PL, Keswani SG. The role of the anti-inflammatory cytokine interleukin-10 in tissue fibrosis. *Adv Wound Care (New Rochelle)*. 2020; 9:184–98. <https://doi.org/10.1089/wound.2019.1032>.
25. Kevin N, Daniel G, Eleanor M. IL-10: The master regulator of immunity to infection. *J Immunol* 2008; 180:5771–7. <https://doi.org/10.4049/jimmunol.180.9.5771>.
26. Al-Hariri MT, Eldin TG, Hashim T, Chathoth S, Alswied A. Propolis modulates inflammatory mediators and improves histopathology in male rats with L-arginine-induced acute pancreatitis. *Sultan Qaboos Univ Med J* 2019; 19:103–7. <https://doi.org/10.18295/squmj.2019.19.02.004>.

SQUMJ

ORIGINALITY REPORT

12%

SIMILARITY INDEX

8%

INTERNET SOURCES

8%

PUBLICATIONS

3%

STUDENT PAPERS

PRIMARY SOURCES

| | | |
|---|---|------|
| 1 | innovareacademics.in Internet Source | 1 % |
| 2 | repo.lib.tokushima-u.ac.jp Internet Source | 1 % |
| 3 | Submitted to University of KwaZulu-Natal Student Paper | 1 % |
| 4 | www.ijicc.net Internet Source | 1 % |
| 5 | doaj.org Internet Source | 1 % |
| 6 | jesl.journal.ipb.ac.id Internet Source | 1 % |
| 7 | www.medrxiv.org Internet Source | <1 % |
| 8 | Submitted to Trinity College Dublin Student Paper | <1 % |
| 9 | Rachel Keith, Aruni Bhatnagar. "Cardiorespiratory and Immunologic Effects | <1 % |

of Electronic Cigarettes", Current Addiction Reports, 2021

Publication

10

Submitted to Udayana University

Student Paper

<1 %

11

Submitted to University of the Incarnate Word

Student Paper

<1 %

12

downloads.hindawi.com

Internet Source

<1 %

13

Heti Ira Ayue. "Effect of bovine pellucid zone 3 monoclonal antibodies on B cell lymphoma 2 expressions of granulosa cell and mice (Mus musculus) follicle diameter", Asian Pacific Journal of Reproduction, 2017

Publication

<1 %

14

ijpsr.com

Internet Source

<1 %

15

www.ncbi.nlm.nih.gov

Internet Source

<1 %

16

"Fibrosis in Disease", Springer Science and Business Media LLC, 2019

Publication

<1 %

17

Justyna Agier, Katarzyna Krawczyk, Paulina Żelechowska, Elżbieta Kozłowska, Ewa Brzezińska-Błaszczyk, Magdalena Wiktorska. "Expression of Toll-like receptors 2 and 4 on

<1 %

peripheral mononuclear cells (PBMCs) after laparoscopic cholecystectomy", Scandinavian Journal of Clinical and Laboratory Investigation, 2019

Publication

18

Wendong Hao, Manxiang Li, Cailian Zhang, Yunqing Zhang, Ping Wang. "Inflammatory mediators in exhaled breath condensate and peripheral blood of healthy donors and stable COPD patients", Immunopharmacology and Immunotoxicology, 2019

Publication

<1 %

19

dokumen.pub

Internet Source

<1 %

20

repository.ubn.ru.nl

Internet Source

<1 %

21

www.tandfonline.com

Internet Source

<1 %

22

"Oxidative Stress in Lung Diseases", Springer Science and Business Media LLC, 2019

Publication

<1 %

23

Adamcakova Jana, Palova Romana, Mokra Daniela. "Experimental Models of Pulmonary Fibrosis and their Translational Potential", Acta Medica Martiniana, 2019

Publication

<1 %

24

Hanan Qasim, Zubair A. Karim, Juan C. Silva - Espinoza, Fadi T. Khasawneh et al. "Short - Term E - Cigarette Exposure Increases the Risk of Thrombogenesis and Enhances Platelet Function in Mice", Journal of the American Heart Association, 2018

Publication

<1 %

25

Hoshing Chang. "Research gaps related to the environmental impacts of electronic cigarettes", Tobacco Control, 2014

Publication

<1 %

26

translationalneurodegeneration.biomedcentral.com

Internet Source

<1 %

27

Etha Rambung. "ELECTRIC CIGARETTES'S EFFECT TO THE MDA LEVELS IN BLOOD OF WISTAR RAT", Human Care Journal, 2020

Publication

<1 %

28

Walter Gottlieb Land. "Damage-Associated Molecular Patterns in Human Diseases", Springer Science and Business Media LLC, 2018

Publication

<1 %

29

"Matrix Metalloproteinase Inhibitors", Springer Science and Business Media LLC, 2012

Publication

<1 %

30

"The Diabetes Textbook", Springer Science and Business Media LLC, 2019

Publication

<1 %

31

Alexander N. Larcombe, Maxine A. Janka, Benjamin J. Mullins, Luke J. Berry, Arne Bredin, Peter J. Franklin. "The effects of electronic cigarette aerosol exposure on inflammation and lung function in mice", American Journal of Physiology - Lung Cellular and Molecular Physiology, 2017

Publication

<1 %

Exclude quotes On

Exclude matches < 5 words

Exclude bibliography On

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

Guide For Authors

SQUMJ is a nationally and internationally peer-reviewed journal that publishes original articles in a wide variety of biomedical disciplines. SQUMJ is published quarterly in print and online with free access to full text articles. All SQUMJ issues and this Guide for Authors are freely available online at journal.squ.edu.om/index.php/squmj. Manuscripts should be submitted online via the Editorial Manager system at www.edmgr.com/squmj/

Key Issues

UNIFORM REQUIREMENTS OF ICMJE (INTERNATIONAL COMMITTEE OF MEDICAL JOURNAL EDITORS)

Before submitting manuscripts, authors should check that they confirm to the Uniform Requirements of the International Committee of Medical Journal Editors (www.ICMJE.org) to which SQUMJ conforms.

TYPES OF MANUSCRIPT PUBLISHED

Manuscripts submitted must be based on original work and not have been published, submitted or accepted for publication elsewhere. The Journal accepts the following kind of manuscripts:

1. Editorials
2. Comments
3. Reviews
4. Special Contributions
5. Medical History articles
6. Sounding Board articles
7. Original Studies
8. Brief Communications
9. Technical Notes
10. Case Series and Case Reports
11. Continuing Medical Education articles
12. Interesting Medical Images
13. Letters to the Editor
14. Conference Abstracts

CONFIDENTIALITY

SQUMJ editors and publication staff keep all information about a submitted manuscript confidential and limited to those involved in the evaluation, review and publication process. Only the Editor-in-Chief, the Editor, the Managing and Assistant Editors and the two allocated Associate Editors are aware of the names of manuscript authors and their affiliations. SQUMJ has a double-blind review process so that authors' names and affiliations are not revealed to reviewers nor are reviewers' names revealed to authors. Only information on accepted articles is archived (in hard copy and on CD) for future reference. Paper files of withdrawn or rejected articles are destroyed periodically.

AUTHORSHIP

Authorship must be based on all of the following four criteria: 1) Substantial contributions to conception and design, acquisition of data, or analysis and interpretation of data; 2) Drafting the article or revising it critically; 3) Final approval of the

version to be published; and 4) Agreement to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved. All contributors who do not meet the criteria for authorship should be listed in an acknowledgements section at the end of the article.

CONFLICT OF INTEREST

Trust in the peer review process and the credibility of published articles depends partly on the handling of conflict of interest issues in the writing, peer review and editorial decision-making process. Conflict of interest exists when an author (or the author's institution), reviewer, or editor has financial or personal relationships that inappropriately influence his/her actions. These people must disclose all relationships that could be viewed as potential conflicts of interest. Authors need to complete the Conflict of Interest Section in the standard SQUMJ Covering Letter. The editors may use this information as a basis for editorial decisions and may publish it in the Journal. Peer-reviewers are requested to declare any conflict of interest. SQUMJ subject editors and reviewers have to declare any conflict of interest before taking responsibility for a manuscript.

INFORMED CONSENT

Patients have a right to privacy that should not be infringed without informed consent. SQUMJ does not publish identifying information in written descriptions or images unless the information is essential for scientific purposes and the patient (or guardian) has given written informed consent for publication. This requires that a patient who is identifiable be shown the manuscript before publication. If identifying characteristics are altered to protect anonymity, such as in genetic pedigrees, authors should provide assurance that alterations do not distort scientific meaning and editors should note this. When informed consent has been obtained it should be indicated in the manuscript.

ETHICAL PERMISSION - HUMAN AND ANIMAL RIGHTS

All studies on human or animal subjects must contain a statement about ethical permission for the study including the date it was granted and the name of the committee and organisation which granted it. Such studies must be in accordance with the ethical standards of the responsible committee on human experimentation (institutional and national) and with the Helsinki Declaration of 1975, as revised in 2008. If doubt exists whether the research was conducted in accordance with the Helsinki Declaration, the authors must explain the rationale for their approach, and demonstrate that the institutional review body explicitly approved the doubtful aspects of the study. When reporting experiments on animals, authors should indicate whether the institutional and national guidelines for the care and

use of laboratory animals were followed.

COPYRIGHT

Copyright of the accepted manuscripts will transfer from the authors to the Journal (for full details see the copyright transfer section in the standard covering letter below).

USER RIGHTS

Users have the right to read, download, copy, distribute, print, search, or link to the full texts of articles under the following conditions: Creative Commons Attribution 4.0 International (CC BY 4.0).

SCIENTIFIC MISCONDUCT POLICY

Following the World Association of Medical Editors (WAME), SQUMJ defines scientific misconduct as:

1. *Falsifying data*: Inventing data, selective reporting or the omission, suppression or distortion of data.
2. *Plagiarism*: Using the published or unpublished language, ideas, or thoughts of another writer without reference or permission and presenting them as one's own. Plagiarism includes self-plagiarism (duplication of portions of your own previously published work), duplicate publication (publication of an article in more than one journal or in another language) and redundant publication (more than 10% of an article overlapping with another submission/publication).
3. *Authorship issues*: Exclusion of involved researchers, or inclusion of researchers who have not contributed to the work, or publication without permission from all authors.
4. *Disregard for generally accepted research practice*: Manipulation of experiments/statistics to get biased results, or improper reporting of results, for example.
5. *Failure to follow legal requirements*: Violation of local regulations and laws involving the use of funds, copyright, care of animals, human subjects, investigational drugs, recombinant products, new devices, or radioactive, biological or chemical materials.
6. *Inappropriate behaviour in cases of misconduct*: False accusations of misconduct; failure to report misconduct; not providing information relevant to a misconduct claim; and retaliation against people claiming or investigating misconduct, for example.

SQUMJ takes all these forms of misconduct extremely seriously. It follows the Committee on Publication Ethics (COPE) guidelines. The final decision on action is taken by the Editor-in-Chief.

OPEN ACCESS

SQUMJ is an Open Access Journal. This means that all content is freely available without charge to the user or his/her institution. Users have the right to read, download, copy, distribute, print, search, or link to the full texts of articles under the following conditions: Creative Commons Attribution 4.0 International (CC BY 4.0). This is also in accordance with the Budapest Open Access Initiative (BOAI) definition of open access.

ARCHIVING

SQUMJ utilises the LOCKSS system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the online version of Journal issues for the purposes of preservation and restoration.

Preparing the Manuscript

1. TYPES OF ARTICLES – LENGTH AND SUBSECTIONS

EDITORIALS & COMMENTS: (c. 2,000 words & 20 refs.). These types of articles should refer either to an article already published or scheduled to be published in an issue of SQUMJ or be a short opinion article on a topic of recent interest. These should have a sequence of logical sections related to their content and purpose. Editorials and comments should be submitted via e-mail to the Editorial Office.

REVIEWS: (c. 5,000 words & max. 100 refs.). These articles should succinctly and holistically summarise current knowledge of a chosen topic, with a sequence of logical sections related to their content and purpose.

SPECIAL CONTRIBUTIONS & SOUNDING BOARD ARTICLES: (c. 5,000 words & 30 refs. and 2,000 words & 20 refs. respectively). These should have a sequence of logical sections related to their content and purpose. Sounding Board articles should aim to elicit discussion on potentially controversial topics or present novel ideas.

MEDICAL HISTORY ARTICLES: (c. 2,500 words & 20 refs.). These articles should highlight the historical background of a disease or its discoverer, or any other topic within the history of medicine. These should have a sequence of logical sections related to their content and purpose. Medical History articles should be submitted via e-mail to the Editorial Office.

CLINICAL & BASIC RESEARCH ARTICLES: (c. 3,000 words & 30 refs.). The manuscript should be divided into the following seven major sections: 1) Advances in Knowledge (how the paper contributes to this, list of max. 100 words); 2) Application to Patient Care (how the paper contributes to this, list of max. 100 words); 3) Introduction; 4) Methods; 5) Results; 6) Discussion; and 7) Conclusion. The Methods section should include sufficient details of methods and equipment so that another individual could repeat the work. Clearly mention the time period of the research and the institution where it was conducted.

BRIEF COMMUNICATIONS: (c. 1,500 words & 15 refs.). The manuscript should be divided into the following five sections: 1) Introduction; 2) Methods; 3) Results; 4) Discussion; and 5) Conclusion, with sim-

ilar instructions as for Clinical and Basic Research articles.

TECHNICAL NOTES: (c. 1,500 words & 15 refs.) These short articles should describe a new methodology, technique or piece of equipment. These articles should have a sequence of logical sections related to their content and purpose.

CASE SERIES & CASE REPORTS: (Series: c. 2,000 words & 15 refs; Reports: 1,500 words & 15 refs, or 2,000 words & 25 refs. if literature review included). These should have the following four sections: 1) Introduction, 2) Case Report/s; 3) Discussion; and 4) Conclusion. Due to space constraints, these articles may not appear in the print edition, although their abstracts will. However, full articles will still appear in the online edition.

CONTINUING MEDICAL EDUCATION ARTICLES: (c. 3,000 words & 30 refs.). These articles should seek to test the knowledge and clinical practices of doctors or medical students. Such articles should have a sequence of logical sections related to their content and purpose and be followed by a quiz with a key for the answers.

INTERESTING MEDICAL IMAGES: These short articles highlight an interesting image(s), with a brief Introduction to the image/s and a detailed caption for each one, followed by a Comment section of maximum 500 words and c. 5 refs.

LETTERS TO THE EDITOR: (c. 1,000 words & 5 refs.). These are short communications either in response to a previous SQUMJ article or on a new topic of interest.

2. JOURNAL LANGUAGE & TRANSLATION

The Journal publishes papers in UK English, with the title, author names, abstracts and keywords in Arabic and UK English. Where none of the authors are Arabic speaking, an abstract translation service is provided. If you wish to include an Arabic translation of these sections, please upload it on the SQUMJ Editorial Manager website as a separate file; do not include it within the manuscript itself.

3. STYLE

The modern trend to simplify has also influenced scientific writing. When preparing your manuscript, avoid long sentences, jargon and clichés. When tempted to use a difficult word or complex sentence, see if it can be replaced by simpler one. Always write for the generalist, rather than the specialist. The overall essence of your manuscript should be understandable to someone educated until university level.

4. ABBREVIATIONS & SYSTEM OF UNITS

Since abbreviations tend to make the text difficult to read, avoid them except when essential. In the Abstract and the article itself, define each abbreviation when first used—e.g. coronary artery disease

(CAD)—and thereafter use the abbreviation alone without further explanation. Avoid beginning sentences with abbreviations. All abbreviations must be expanded in titles, subtitles and captions. Use standard abbreviations, rather than words, for units and percentages (e.g. km, mm, kg, L, mL, %, etc.). This Journal uses the International System (SI) units for most measurements (eg. pmol/L). Alternative corresponding units may be included in parentheses.

5. FIGURES & TABLES

All tables and figures should be inserted/placed at the end of the manuscript, rather than within the main text. Provide a brief but fully self-explanatory caption and title for each figure and cite each figure in the text and number them consecutively. Number tables consecutively, give concise but self-explanatory titles to each and cite them in the text. All figures will be printed in colour. Tables will be formatted to fit the standard shading/layout of the Journal. It is the author's responsibility to obtain permission for the reproduction of previously published figure or table from other sources and the source of the original figure/table should be clearly cited underneath the reproduction. An explanation of all definitions used, as well as any other potentially non-intuitive features, should be included in the legend to the figure or table. A maximum of 6 figures/tables are permitted for Clinical & Basic Research articles. All other article types are allowed a maximum of 4 figures/tables.

PHOTOGRAPHS/IMAGES/SCANS: The quality of such figures must be high enough resolution for good print reproduction and should stand reduction. The Journal uses standard arrows/identifying symbols for figures, so additional arrows, symbols, words and other identifying/descriptive features should not be placed on the figure itself, if possible, but into the Microsoft Word document instead. After acceptance, figures should be provided to the Editorial Office in digital format (300 dpi) and in JPEG, PNG, GIF, TIFF or other image format. Sourcing figures directly from a Microsoft Word document may greatly and negatively affect their quality in print.

DRAWINGS: All line drawings should be planned to fit the Journal's page size (12 x 18 cm). Lines should be dark enough and letters should be of professional quality in order to stand reduction. Do not use bold or all-capital lettering. Do not combine line drawings and photographs into one illustration. For best results, it is advisable to execute your drawings in a vector application such as Adobe Illustrator or CorelDraw. The Editorial Office is able to accommodate a wide range of vector and bitmap formats executed on Windows or Macintosh platforms.

DIAGRAMS/FLOW CHARTS: All diagrams and flow charts should be created in Microsoft Word, if possible, and be editable so that the font/formatting of the text

can be changed by the Editorial Office if necessary.

TABLES AND CHARTS: All X and Y axes must be clearly labelled. Charts and tables pasted into Microsoft Word documents in un-editable “picture” formats are not acceptable and should be provided in Microsoft Excel or a similar programme. Please ensure that no charts or graphs are displayed in three dimensions. For tables, please ensure that as few cells as possible are merged and that each column and row is clearly labelled and outlined using the border function. Within a table, do not insert multiple spaces or tabs within a single cell.

6. FORMATTING

All manuscripts must be submitted in Microsoft Word. Use 12 point Times New Roman font for the entire manuscript. Use minimum formatting, restricting formatting to superscripts and subscripts and what is absolutely essential to reveal various heading levels, since most formatting will be removed before typesetting. Use true superscripts and subscripts and not “raised/lowered” characters. For symbols, use the standard symbol fonts on Windows or Macintosh. Using strange symbol fonts may give unpredictable results in print, even if the fonts are supplied by the author. Put exactly one space between words and after any punctuation. Put one blank line between paragraphs and do not use indents to indicate new paragraphs. Ensure that the text of the entire manuscript is in uniform black font colour, unless you need to indicate changes to your article made during a request for revision. Please do not insert page borders

Article Sections

1. MANUSCRIPT DETAILS

Please ensure that you remove the author names and affiliation details from the Microsoft Word document of your manuscript as it will be sent out for blind peer review. In addition, ensure that any potential identifying information—such as that which might be included in an Acknowledgments/Funding/Conflict of Interest section—is uploaded as part of the standard SQUMJ Covering Letter on the SQUMJ Editorial Manager website. This information can subsequently be included in the manuscript after an acceptance decision has been made.

2. ABSTRACT

As the most widely read part of a paper, the abstract demands careful preparation. Editorials, Letters to the Editor and Interesting Medical Images do not need an abstract. Abstracts of Clinical & Basic Research studies and Brief Communications (max. 250 words and 150 words respectively) should be clearly divided into four sections: 1) Objectives; 2) Methods; 3) Results; and 4) Conclusion. Reviews, Sounding Board articles, Special Contributions, Technical Notes, Case Series/Reports and CME articles should have a

narrative abstract in a single paragraph (max. 150 words). The abstract is uploaded to the SQUMJ Editorial Manager website as a separate file.

3. KEYWORDS

Keywords are needed for Reviews, Sounding Board articles, Special Contributions, Clinical & Basic Research articles, Brief Communications, Technical Notes, Case Series/Reports and CME articles. Provide max. 8 keywords using terms from the medical subject heading (MeSH) database on the PubMed site (<http://www.ncbi.nlm.nih.gov/mesh>). Keywords are uploaded on the SQUMJ Editorial Manager website in the special section for this purpose.

4. METHODS – CLINICAL & BASIC RESEARCH AND BRIEF COMMUNICATIONS

In the Methods section, it is vital that enough information is provided as to how your study was conducted so that the research can be replicated. If applicable, you should clearly state any inclusion/exclusion criteria, variables and sample size calculations. For studies with human or animal subjects, please include information as to which organisation granted ethical permission for the study and how the consent of the subjects/patient consent was obtained, if necessary. For ethical permission, be aware that you will need to provide the name of the committee which granted approval for the study, as well as the date and number of approval. Any references to medical equipment must include the official trade name of the equipment and the full company name and the city and country of the supplier. The time period of the study must be clearly noted in months and years (e.g. this study was conducted between April 2016 and February 2017).

5. CASE REPORT – CASE SERIES AND CASE REPORTS

Include all relevant past medical history for the case as well as the circumstances leading to the presentation/admission of the patient. The year of presentation should be included, but not the specific month so as to avoid identification of the patient. Provide a full description of the sequence of events that followed the patient's presentation/admission as well as the clinical decision-making process, diagnosis steps and/or treatment. Clearly mention the final prognosis status of the patient and the results of any follow-up/further observations. If any further treatment or observation is planned for the future, this should also be mentioned.

6. DISCUSSION

For studies, your Discussion section should first reiterate briefly the results, then move to a discussion of your main findings, and finally move to wider topics and comparison of your study with other research. For individual cases, it is advisable to describe how the case is rare/unusual and the educational/scientific merit of its publication, followed by an overview of the topic and a comparison of your case with similar cases described in the literature.

7. REFERENCES

All statements which require support/evidence or cite data from previously published material should be referenced. Other literature should be referenced sequentially in their order of appearance, for example: “The Omani Ministry of Health has prioritized eye care in its next 5 year plan”³ Always try to use primary rather than secondary sources of data, if available. Avoid references to personal communications, unpublished data or other manuscripts which have not yet been accepted for publication. The reference number must be inserted within the text in superscript after a comma or full stop. In the article itself and the Reference section, list all the references in sequential numerical order. In the Reference section, list all authors up to a maximum of six. If there are more than six authors then write et al. after the sixth author. The Journal uses a variation of the Index Medicus style of referencing, which is similar to the Vancouver style. Please adopt the exact style as shown in the examples below, including punctuation. Journal names should be abbreviated as per the Journals Database section in PubMed (<http://www.ncbi.nlm.nih.gov/nlmcatalog/journals>). Please include DOI numbers where available.

JOURNAL CITATION

Khandekar R, Mohammed AJ, Negrel AD, Riyami AA. The prevalence and causes of blindness in the Sultanate of Oman: The Oman Eye Study (OES). *Br J Ophthalmol* 2011; 86:952–8. <https://doi.org/10.1136/bjo.86.9.957>.

BOOK CHAPTER

Brown J, Murphy KH. Adult-onset Still's Disease. In: Maddison PJ, Woo P, Glass DN, Eds. *Oxford Textbook of Rheumatology*. 3rd ed. Oxford, UK: Medical Publication, 2010. Pp. 1127–31.

BOOK

Smith MD. *Introduction to Gynaecology*. 6th ed. New York, USA: Institutional Press, 2010. P. 15.

REPORT

World Health Organization. *Issues in Health Services Delivery*. Geneva: World Health Organization. WHO/EIP/ool. Pp. 3–4.

THESIS

Rowe L. DNA damage-induced reactive oxygen species: A genotoxic stress response. Ph.D. Thesis, 2012, Emory University, Georgia, USA.

WEBSITE

Smith AD. Pregnancy after 35. From: www.marchof-dimes.com/pregnancy Accessed: Sep 2011.

8. FIGURES/TABLES

Figures and tables should not simply be a repetition of data already included in the text but should be used to present your data in a concise and more understandable format. They also should not contradict results reported elsewhere within the manuscript. Ensure that the correct type of figure/table is used so that the information is presented in the most appropriate/interesting manner.

Submission

All manuscripts should be submitted online via the Editorial Manager system at: www.edmgr.com/squmj/. Authors can also track the progress of their manuscript and submit revised manuscripts on this site. Alternatively, authors can follow the link to the Editorial Manager site from the home page of the SQUMJ website (journals.squ.edu.om/index.php/squmj/) or the Authors page (journals.squ.edu.om/index.php/squmj/about/submissions#authorGuidelines). The latter contains these Guidelines for Authors as well as other resources for authors and a link to the standard SQUMJ Covering Letter which must be uploaded along with the manuscript. If there should be any problems during the submission process, authors should contact the Editorial Office at mjournal@squ.edu.om or squmjoman@gmail.com. Substantial delays in the submission process can be avoided if authors comply with these Guidelines for Authors.

Review Process

The Editorial Office of the Journal and the SQUMJ subject editors check each submitted manuscript for general quality, suitability and whether it conforms to the accepted format. All manuscripts are also checked for plagiarism; if discovered, immediate strong action is taken. If found *prima facie* acceptable, the manuscript will be sent out for double-blind international peer review. All reviewers treat the manuscript with the strictest confidentiality and must declare any conflict of interests. Substantial delays can be avoided if authors comply with these Guidelines. Comments and suggestions from the reviewers are conveyed to the authors via the online system. Revised manuscripts are subject to further review by the original reviewers and the responsible subject editors. The final decision as to acceptance or rejection lies with the Editor-in-Chief, with advice from the SQUMJ Editorial Board and Sultan Qaboos University's Academic Publications Board.

Editing

Papers selected for publication are edited by the SQUMJ Editorial Office for brevity, clarity, grammar, spelling and style. British/UK English spelling and punctuation are used. The Editorial Office has final approval over the version of the manuscript to be published and certain changes/modifications to the language and style of the text can be made without the authors' agreement, as long as they do not impact the intended meaning or scientific content of the text. When the editing is extensive, with the possibility of altered meaning, queries are sent to the corresponding author by email.

Proofs & Prints

The galley proof of an accepted article is emailed in PDF format to the corresponding author for typographical checking only. It should be returned within 48 hours of receipt. The corresponding author will be provided with one copy of the issue per author of the manuscript. Since high-quality PDF reprints are downloadable from the SQUMJ web site, physical reprints are not issued. The full text of all articles is also available in PubMed and the abstracts in Scopus.

Checklist for Authors

- Manuscript conforms to ICJME Uniform Requirements?
- Standard Covering Letter uploaded and all required sections completed?
- Abstract has required length and sections? Keywords provided?
- Arabic translations of title, author names, abstract and keywords provided (if one author is Arabic-speaking)?
- Manuscript conforms to SQUMJ's style, length and formatting requirements?
- Tables, drawings, charts and photographs placed after the article text and in editable format?
- References in the Journal's exact style?
- All sources acknowledged, ethical permission and patient consent received, any conflict of interest declared and copyright issues resolved?

SQUMJ Standard Covering Letter

Available from: web.squ.edu.om/squmj/index.asp and also from: www.edmgr.com/squmj Author submission page.

This form covers Declaration of Author contributions, Source of Funding, Copyright Transfer and Declaration of Conflict of Interest. The signature of the corresponding author at the bottom of this form certifies compliance with all sections. Manuscripts will not be processed until the corresponding author has completed this form and uploaded it along with the manuscript to SQUMJ at: www.edmgr.com/squmj/

To: The Editor-in-Chief, SQU Medical Journal, College of Medicine & Health Sciences, Sultan Qaboos University, Post Box 35, PC 123 Al-Khod, Oman.

Please find enclosed my/our paper entitled:

Please consider it for publication in the SQUMJ. I/we certify that this paper has not been submitted for publication elsewhere and will not be submitted to another publication be it print or electronic. Likewise this paper has not been published elsewhere either in part or in its

entirety in either print or electronic format. Upon acceptance of this manuscript, the copyright will transfer to SQUMJ.

Full Name & Signature Corresponding Author:
Full postal address of Corresponding Author:
E-mail address for correspondence:

COPYRIGHT TRANSFER

In order that SQUMJ may disseminate the articles submitted and accepted by SQUMJ authors must transfer copyright to SQUMJ. If the article has multiple authors, the corresponding author takes responsibility for transferring the rights of all authors to SQUMJ by signing this form. However, all published articles will be licensed by SQUMJ under a Creative Commons Attribution License that allows others to freely share the work with an acknowledgement of the work's authorship and initial publication in this journal.

1. The authors hereby transfer all copyrights in and to the manuscript named above in all forms and media, now or hereafter known, to the SQUMJ and effective if and when the manuscript is accepted for publication in SQUMJ.
2. The authors retain the following non-exclusive copyrights, to be exercised only after the manuscript has been published in online format on the SQUMJ website:
 - a) Reprint the manuscript in print collections of the author's own writing.
 - b) Present the manuscript orally in its entirety.
 - c) Use the manuscript in theses and/or dissertations.
 - d) Reproduce the manuscript for use in courses the author is teaching. (If the author is employed by an academic institution, that institution may also reproduce the manuscript for course teaching.)
 - e) Distribute photocopies of the manuscript to colleagues, but only for non-commercial purposes.
 - f) Reuse figures and tables created by the author in future manuscripts the author writes.
 - g) Post a copy of the manuscript on the author's personal website, departmental website and/or the university's intranet, provided a hyperlink to the manuscript on the SQUMJ website is included.
 - h) In all the instances under clause 2a) through 2g) above, the author will give proper credit to the original publication in SQUMJ as follows:
This research was originally published in SQUMJ. Author(s). Title. Sultan Qaboos University Med J Year; vol:pp-pp.
3. The authors understand that if and when the manuscript is accepted for publication in SQUMJ it will be pre-published online in open access format one to two months before the issue appears in print. It will also appear in the SCOPUS Index in abstract format and in PubMed as a 'Free PMC article' (full text freely available).
4. The authors warrant that the manuscript (or its essential substance) has not been published other than as an abstract in any language or format and has not been submitted elsewhere for print or

electronic publication consideration.

5. The authors warrant that the manuscript does not contain any material the publication of which would violate any copyright or other personal or proprietary right of any person or entity.
6. The authors will obtain and include with the manuscript written permission from any respective copyright owners for the use of any textual, illustrative, or tabular materials that have been previously published or are otherwise copyrighted and owned by third parties. The authors agree that it is their responsibility to pay any fees charged for permissions.

CONFLICT OF INTEREST DISCLOSURE

SQUMJ is committed to ensuring the integrity of all its activities. The SQUMJ Conflict of Interest Policy requires each author to disclose all relevant financial and other interests that might be construed as resulting in an actual, potential or apparent conflict in one's role as contributor to SQUMJ, regardless of amount or value. Nothing in the disclosure statement shall be regarded as creating a presumption of impropriety in the existence of financial interests or other relationships. SQUMJ's purpose is to inform peer reviewers and readers of the existence of financial relationships pertinent to the article in the interest of the full transparency of the peer review and publication processes. This form must be filled out and signed if and when any of the authors has any conflict of interest to disclose. It also needs to be filled out if none of the authors have a conflict of interest to declare. During the peer-review process the conflict(s) of interests will only be disclosed to editors and reviewers who will keep them confidential. If the paper is accepted for publication in SQUMJ, all disclosures will appear in both the print and online edition of the article in the Conflict of Interest section at the end of the article. Please tick the relevant box below:

Either: ☐ No author of this paper has a conflict of interest, including specific financial interests, relationships and/or affiliations relevant to the subject matter or materials included in this manuscript.

Or: ☐ The authors certify that all conflicts of interest, as applicable to each author, including specific financial interests, relationships and/or affiliations relevant to the subject matter or materials included in this manuscript are disclosed in the manuscript, in the Conflict of Interest section.

SOURCE OF FUNDING

Please complete here giving name of funding organisation and grant number for your work (or insert 'Unfunded').

CONTRIBUTION TO THE WORK

I, the undersigned, corresponding author of this manuscript, agree to the conditions stated above and certify that I and my co-authors have contributed to all of the following:

1. Substantial contributions to conception and design, acquisition of data or analysis and interpretation of data

2. Drafting the article or revising it critically
3. Final approval of the version to be published
4. Agreement to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved.

Name of Corresponding Author:

Organisation:

Signature:

Contact Details

The Editor-in-Chief

SQUMJ Editorial Office

College of Medicine & Health Sciences

Sultan Qaboos University

P O Box 35, Postal Code 123

Al-Khod, Muscat

Oman

Tel: (968) 2414 3457

Content: journals.squ.edu.om/index.php/squmj

Submission: www.edmgr.com/squmj

E-mails: mjournal@squ.edu.om and

squmjoman@gmail.com